



Alpier II

Display:	Dot Matrix
Display Type	Positive format readable under Sunlight
Display Format	18 Dot Matrix 5X5 +Icons
Display Pattern	EL backlight
Display Backlight	
Sensor: for Altitude	Pressure Sensor
Sensor for Compass	Magnetic Sensor
Barometer:	
Barometer Range	300 mbar - 1100 mbar
Barometer Resolution	1 mbar
Unit	mbar / inHg
Barometer Accuracy	+/-1.25mbar at room temp
Current Barometer	Yes
Sea Level Barometer	Yes
Barometer Trend	Up/Level/Down
Barometer History	24 Hours, 1 hour resolution
Weather Forecast	Weather Forecast Base on Pressure Changes
Memory	24 Hours Memory , FIFO
Altimeter:	
Altimeter Range	-700 m to 9000 m
Altimeter Resolution	1m (1ft)
Unit	Meter / Feet
Altimeter Accuracy	+/-10m at room temp near Sea Level
Current Altitude	Yes
Alti Caliabration	Yes
Altitude Trend	Up/Level/Down
Ascent Rate	Yes
Descent Rate	Yes
Exercise Time	Yes
Altitude Log	Memory of Alti every sec for 15 minute
Altitude Record	Accumulation/Highest and lowest altitude
Memory	10 files for Altitude Log, FIFO
Thermeter:	
Working Range	-10C to 60C
Unit	C / F
Resolution	0.1C or 0.1F
Accuracy	1.5C at Room Temperature
Compass:	
Compass Range	0-359 Degree
Compass Resolution	1 degree
Compass Accuracy	+/-8 degree
North Indicator	Yes
Cardinal Indication	16 Pointers
Declination Adjustment	Yes
Calibration	Yes
Ski:	
Base Altitude	One Touch to Record the Base Altitude
Measurement of Ski Time	Auto Ski Time Measurement from Start to Base
Sail Timer:	
Count Down Timer	Adjustable from 1min to 120min
Alert	Audible Alert
Sail Timer	Up to 120 Hours
Memory	50 waypointer
Chronograph:	
Chronograph Range	0~23:59' 59.99
Resolution	1/100 sec
Lap Time Measurement	Yes
Split Time Measurement	Yes
Lap Counter	2 Digits
Lap Memory	100 Laps (Total)
Run	10 Files
Time:	
Time	12/24 display format
Calendar	Auto Calendar
World Time	No
Time Zone	T1/T2
Display Format	Hour, Min, Sec, Month, Date, Day
Alarm Time:	
Alarm	5 Daily Alarms
Alert	Sound Alert
Vibration	No
Sound/Vibrate Selection	No
Chime	Hourly Chime Alert
Button Activate Sound	BEEP Alert
Timer:	
Loop Counter Down Times	Segment 1 to Segment 6
Loop Timers	20 Loops
Resolution	1 Sec
Time Range	0~23 Hr 59 Min 59 Sec
Buttons:	
Button	4
Touch Panel	No
Battery:	
Battery Type	CR2032
Battery Capacity	200mAh
Battery Low Indicator	Yes
Battery Level Indicator	No
Battery Changing Device	No
Battery Changing Time	No
Battery Life	1.5 Years
Language	English
Water Resistance	3 ATM



A2-01-AA(13-148)



A2-01-AC(13-148)



A2-01-AJ(13-148)



A2-01-AI(13-148)



A2-01-KA(13-148)



A2-01-KD(13-148)

CASE DIMENSION: 48 (mm) X 56 (mm) X15 (mm)

WEIGHT: 65 g



Alpier II



A2-02-AA(08-3090)



A2-02-kA(08-3090)



A2-02-KC(08-3090)



A2-02-AD(08-3090)



A2-02-AJ(08-3090)



A2-02-AC(08-3090)

Display:	Dot Matrix
Display Type	Positive format readable under Sunlight
Display Format	18 Dot Matrix 5X5 +Icons
Display Pattern	EL backlight
Display Backlight	
Sensor:	Pressure Sensor
Sensor for Altitude	Magnetic Sensor
Sensor for Compass	
Barometer:	
Barometer Range	300 mbar - 1100 mbar
Barometer Resolution	1 mbar / inHg
Unit	+/-1.25mbar at room temp
Barometer Accuracy	Yes
Current Barometer	Yes
Sea Level Barometer	Yes
Barometer Trend	Up/Level/Down
Barometer History	24 Hours, 1 hour resolution
Weather Forecast	Weather Forecast Base on Pressure Changes
Memory	24 Hours Memory , FIFO
Altimeter:	
Altimeter Range	-700 m to 9000 m
Altimeter Resolution	1m (1ft)
Unit	Meter / Feet
Altimeter Accuracy	+/-10m at room temp near Sea Level
Current Altitude	Yes
Alti Calibration	Yes
Altitude Trend	Up/Level/Down
Ascent Rate	Yes
Descent Rate	Yes
Exercise Time	Yes
Altitude Log	Memory of Alti every sec for 15 minute
Altitude Record	Accumulation/Highest and lowest altitude
Memory	10 files for Altitude Log, FIFO
Thermeter:	
Working Range	-10C to 60C
Unit	C / F
Resolution	0.1C or 0.1F
Accuracy	1.5C at Room Temperature
Compass:	
Compass Range	0-359 Degree
Compass Resolution	1 degree
Compass Accuracy	+/-8 degree
North Indicator	Yes
Cardinal Indication	16 Pointers
Declination Adjustment	Yes
Calibration	Yes
Ski:	
Base Altitude	One Touch to Record the Base Altitude
Measurement of Ski Time	Auto Ski Time Measurement from Start to Base
Sail Timer:	
Count Down Timer	Adjustable from 1min to 120min
Alert	Audible Alert
Sail Timer	Up to 120 Hours
Memory	50 waypointer
Chronograph:	
Chronograph Range	0~23:59' 59.99
Resolution	1/100 sec
Lap Time Measurement	Yes
Split Time Measurement	Yes
Lap Counter	2 Digits
Lap Memory	100 Laps (Total)
Run	10 Files
Time:	
Time	12/24 display format
Calendar	Auto Calendar
World Time	No
Time Zone	T1/T2
Display Format	Hour, Min, Sec, Month, Date, Day
Alarm Time:	
Alarm	5 Daily Alarms
Alert	Sound Alert
Vibration	No
Sound/Vibrate Selection	No
Chime	Hourly Chime Alert
Button Activate Sound	Beep Alert
Timer:	
Loop Counter Down Times	Segment 1 to Segment 6
Loop Timers	20 Loops
Resolution	1 Sec
Time Range	0~23 Hr 59 Min 59 Sec
Buttons:	
Button	4
Touch Panel	No
Battery:	
Battery Type	CR2032
Battery Capacity	200mAh
Battery Low Indicator	Yes
Battery Level Indicator	No
Battery Changing Device	No
Battery Changing Time	No
Battery Life	1.5 Years
Language	English
Water Resistance	3 ATM

CASE DIMENSION: 45 (mm) X 45 (mm) X14 (mm)

WEIGHT: 87 g



Alpier II

Display:	Dot Matrix
Display Type	Positive format readable under Sunlight
Display Format	8 Dot Matrix 5X5 +Icons
Display Pattern	EL backlight
Display Backlight	
Sensor:	Pressure Sensor
Sensor for Altitude	Magnetic Sensor
Sensor for Compass	
Barometer:	
Barometer Range	300 mbar - 1100 mbar
Barometer Resolution	1 mbar
Barometer Unit	mbar / inHg
Barometer Accuracy	+/-1.25mbar at room temp
Current Barometer	Yes
Sea Level Barometer	Yes
Barometer Trend	Up/Level/Down
Barometer History	24 Hours, 1 hour resolution
Weather Forecast	Weather Forecast Base on Pressure Changes
Memory	24 Hours Memory , FIFO
Altimeter:	
Altimeter Range	-700 m to 9000 m
Altimeter Resolution	1m (1ft)
Altimeter Unit	Meter / Feet
Altimeter Accuracy	+/-10m at room temp near Sea Level
Current Altitude	Yes
Alti Calibration	Yes
Altitude Trend	Up/Level/Down
Ascent Rate	Yes
Descent Rate	Yes
Exercise Time	Yes
Altitude Log	Memory of Alti every sec for 15 minute
Altitude Record	Accumulation/Highest and lowest altitude
Memory	10 files for Altitude Log, FIFO
Thermeter:	
Working Range	-10C to 60C
Unit	C / F
Resolution	0.1C or 0.1F
Accuracy	1.5C at Room Temperature
Compass:	
Compass Range	0-359 Degree
Compass Resolution	1 degree
Compass Accuracy	+/-8 degree
North Indicator	Yes
Cardinal Indication	16 Pointers
Declination Adjustment	Yes
Calibration	Yes
Ski:	
Base Altitude	One Touch to Record the Base Altitude
Measurement of Ski Time	Auto Ski Time Measurement from Start to Base
Sail Timer:	
Count Down Timer	Adjustable from 1min to 120min
Alert	Audible Alert
Sail Timer	Up to 120 Hours
Memory	50 waypointer
Chronograph:	
Chronograph Range	0~23:59' 59.99
Resolution	1/100 sec
Lap Time Measurement	Yes
Split Time Measurement	Yes
Lap Counter	2 Digits
Lap Memory	100 Laps (Total)
Run	10 Files
Time:	
Time	12/24 display format
Calendar	Auto Calendar
World Time	No
Time Zone	T1/T2
Display Format	Hour, Min, Sec, Month, Date, Day
Alarm Time:	
Alarm	5 Daily Alarms
Alert	Sound Alert
Vibration	No
Sound/Vibrate Selection	No
Chime	Hourly Chime Alert
Button Activate Sound	Beep Alert
Timer:	
Loop Counter Down Time	Segment 1 to Segment 6
Loop Timers	20 Loops
Resolution	1 Sec
Time Range	0~23 Hr 59 Min 59 Sec
Buttons:	
Button	4
Touch Panel	No
Battery:	
Battery Type	CR2032
Battery Capacity	200mAh
Battery Low Indicator	Yes
Battery Level Indicator	No
Battery Changing Device	No
Battery Changing Time	No
Battery Life	1.5 Years
Language	English
Water Resistance	3 ATM



A2-03-AA(03-268)



A2-03-FA(03-268)



A2-03-HA(03-268)



A2-03-CA(03-268)



A2-03-DA(03-268)



A2-03-GA(03-268)

CASE DIMENSION: 51 (mm) X 55 (mm) X17 (mm)

WEIGHT: 59 g